

REFERENCES

1. *Safety of Nuclear Power Plants: Design*, Safety Standards Series No. NS-R-1, International Atomic Energy Agency, Vienna, Austria (2000).
2. *European Utility Requirements (EUR) for LWR nuclear power plants, Volume 1*.
3. G. Löwenhielm, A. Engqvist and R. Espefält "Accident management strategy in Sweden and verification – implementation," *Nuclear Engineering and Design* **148**, pp. 151-159 (1994).
4. "Swedish action plan. Response to ENSREG's request for nuclear power plants," <http://www.stralsakerhetsmyndigheten.se/Global/Pressmeddelanden/2012/%c3%85tg%c3%a4rdsp/laner/swedish-action-plan.pdf> (2012).
5. "Ex-Vessel Corium Coolability and Steam Explosion Energetics in Nordic Light Water Reactors" www.nks.org/download/pdf/NKS-Pub/NKS-160.pdf (2008)
6. Kudinov P., Galushin S., Yakush S., et al "A Framework for Assessment of Severe Accident Management Effectiveness in Nordic BWR Plants," *Probabilistic Safety Assessment and Management PSAM 12*, June 22-27, 2014, Honolulu, Hawaii, Paper 154 (2014).
7. M.T. Farmer, D.J. Kilsdonk, R.W. Aeschlimann, "Corium Coolability under Ex-Vessel Accident Conditions for LWRs," *Nuclear Engineering and Technology*, Vol. 41, No.5, June 2009
8. M. T. Farmer, S. Lomperski, D. Kilsdonk, R. W. Aeschlimann, and S. Basu, "A Summary of Findings from the Melt Coolability and Concrete Interaction (MCCI) Program" *Proceedings ICAPP '07*, Nice, France, May 13-18, 2007.
9. S. Lomperski and M. T. Farmer, "Experimental Evaluation of the Water Ingression Mechanism for Corium Cooling", *Nuclear Engineering and Design*, 237, 905 (2006).
10. H. Alsmeyer and W. Tromm, "The COMET concept for cooling core melts: evaluation of the experimental studies and use in the EPR", EXV-CSC(99)-D036, Report FZKA 6186, (1999).
11. W. Widmann et al., "Experimental and theoretical investigations on the COMET concept for ex-vessel core melt retention," *Nuclear Engineering and Design*, **236**, pp. 2304-2327 (2006).
12. K.Kamei et al., "Safety Feature of EU-ABWR for Fukushima Accident," *Proceedings of ICONE22*, ICONE22-30332, Prague, Czech (2014).
13. R. Hamazaki et al., "The Enhanced Severe Accident Mitigation System for a BWR" *Proceedings of NURETH13*, N13P1168, Kanazawa, Japan (2009).
14. R. Hamazaki et al., "Evaluation on Core Melt Retention in Core Catcher of Toshiba's EU-ABWR," *Proceedings of ICAPP'11*, 11414, Nice, France (2011).
15. V.V. Bezlepkin, V.G. Sidorov, V.O. Astafyeva, O.V. Tokar "Modeling of processes in the melt localization device of NPP-2006 with VVER-1200 at beyond design basis accident," *Nuclear Energy*, **108** (№. 6), p. 327-332 (2010).
16. V.B. Khabensky, V.S. Granovsky, S.V. Bechta, V.V. Gusarov, "Severe Accident Management Concept of the VVER-1000 and the Justification of Corium Retention in a Crucible-type Core Catcher," *Nuclear Engineering and Technology* **41** (№ 5), pp. 561-574 (2009).
17. V.V. Gusarov., V.I. Al'myashev, V.B. Khabenskii, et al, "Interaction of a material based on aluminium and iron oxides with a metal melt," *Russian Journal of Applied Chemistry* **80** (Is. 4), pp. 528-535 (2007).
18. M. Fischer, A. Henning, "EPR™ engineered features for core melt mitigation in severe accidents," *Proceedings of International Congress on Advances in Nuclear Power Plants (ICAPP 2009)*, Tokyo, Japan, 10–14 May 2009, Paper 9061.
19. M. Fischer, "The Core Melt Stabilization Concept of the EPR and Its Experimental Validation," *Proceedings of 14th International Conference on Nuclear Engineering (ICONE 14)*, Miami, Florida, USA, 17–20 July 2006, Paper 89088.